

Director-General of Trade and Industry  
Strategic Trade Controls Branch  
Trade and Industry Department  
Trade and Industry Tower  
3 Concorde Road, Kowloon City  
Hong Kong

**CHEMICAL END-USER UNDERTAKING**

(in support of import licence application covering controlled chemicals)

We \_\_\_\_\_  
(name, address, tel. and fax nos. of end user)

\_\_\_\_\_

\_\_\_\_\_

have requested \_\_\_\_\_  
(name and address of importer/trader\*)

\_\_\_\_\_

to import/sell\* \_\_\_\_\_  
(description of chemical(s) : name, quantity, value)

\_\_\_\_\_

which we intend to use for \_\_\_\_\_  
(specific purposes(s) for which the chemical(s) will be used)

and represents a supply which on best estimate will be sufficient for \_\_\_\_\_ months.

We confirm that the chemical(s) will be used for civil enduses only and will not be used in relation to chemical, biological or nuclear weapons or missiles capable of delivering these weapons. We also confirm that the chemical(s) will not be re-exported, resold, transferred or disposed of without prior notice to and approval from the Director-General of Trade and Industry.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Name of Signatory (in block letters)

\_\_\_\_\_  
Date of Signature

\_\_\_\_\_  
Position of Signatory  
in the company

\_\_\_\_\_  
Company Chop

**Important Note** : The data collected in this form will be kept in confidence. They may however be disclosed to other government departments, or to third parties in Hong Kong or elsewhere, if such disclosure is necessary to facilitate consideration of the related application, is in the interests of Hong Kong, is authorised or required by the law; or if explicit consent to such disclosure is given by the applicant/data subject.

For other information concerning the handling of personal data by the Department, please refer to a relevant Note issued by the Department on the subject, copy of which is obtainable from the Strategic Trade Controls Branch on 16/F, Trade and Industry Tower, 3 Concorde Road, Kowloon City, Hong Kong.

\* Please delete as appropriate